
CULTURX™
ALKALINITY + GUT BALANCE GUIDE
Feed the system. Support the environment.
NOURISH
DIGEST
BALANCE
ENERGISE
THRIVE
A HEALTHIER YOU
A BRIGHTER TOMORROW
Gabriela Popa
Founder, CulturX
WHOLE FOODS
HYDRATION
MICROBIOME
VITALITY
LONGEVITY

INTEGRATED RECOVERY

ALKALINITY +

GUT BALANCE

GUIDE

FEED THE SYSTEM. SUPPORT THE ENVIRONMENT.

A practical, food-first guide to supporting digestion,
dietary quality and the gut ecosystem.

Gabriela Popa

FOUNDER, CULTURX

MELBOURNE, AUSTRALIA

Knowledge is a form of recovery.

BEFORE YOU BEGIN

This guide uses the word alkalinity carefully. It does not mean that food can or should be used to 'alkalise' your blood. Blood pH is tightly regulated by the lungs, kidneys and other physiological systems. Food can influence the acid load that the kidneys handle, and eating patterns rich in vegetables, fruit, legumes, whole grains, nuts and seeds can support overall dietary quality, fibre intake and gut health. The useful question is not, 'How do I make my body alkaline?' It is, 'What kind of internal environment am I repeatedly building with what I eat, drink and do?'

This is an educational guide, not a diagnosis, prescription, cleanse or treatment plan. If you have persistent digestive symptoms, unexplained weight loss, blood in the stool, severe or recurrent abdominal pain, ongoing vomiting, difficulty swallowing, fever, dehydration, or a significant change in bowel habits, seek medical assessment. People with kidney disease, significant gastrointestinal disease, pregnancy, food allergies, or medically prescribed diets should individualise dietary changes with an appropriately qualified clinician.

CONTENTS

1. Alkalinity Without the Myth
2. The Gut Is an Ecosystem
3. Build the CulturX Plate
4. Fibre: Feed More Than Yourself
5. Hydration and Minerals
6. Fermented Foods
7. What Can Disturb Gut Balance
8. The 7-Day CulturX Gut Balance Reset
9. Read the Feedback
10. Quick Reference
11. Closing
12. References
13. Glossary

1. ALKALINITY WITHOUT THE MYTH

Different parts of the body require different chemical conditions. The stomach is intentionally acidic because acid contributes to digestion and defence. Blood, by contrast, is maintained within a narrow pH range. The kidneys and lungs are major regulators of acid-base balance. That is why a useful conversation about an 'alkaline' eating pattern should focus on food composition and dietary acid load, not on promises to change blood pH.

Dietary acid load is a research concept that estimates the acid or base precursors generated from the foods we eat. Diets containing more fruit and vegetables often have a lower estimated dietary acid load, while some protein-rich and phosphorus-rich foods contribute more acid precursors. Observational research has linked higher dietary acid load with some adverse health outcomes, but these associations do not prove that dietary acid load itself is the cause. The practical CulturX translation is simple: increase nutrient-dense plant foods without turning pH into a magic number.

2. THE GUT IS AN ECOSYSTEM

Your digestive tract is not an empty pipe. It is an inhabited environment containing bacteria, viruses, fungi and other microorganisms. Together they form the gut microbiome. Diet is one of the influences on this ecosystem, and plant diversity, fibre-rich foods and some fermented foods are recurring themes in research and clinical nutrition guidance.

Balance does not mean chasing one supposedly perfect bacterial species. It means supporting the conditions in which digestion, bowel function, nutrient intake and microbial diversity can coexist. The goal is not sterility. It is a resilient system.

3. BUILD THE CULTURX PLATE

Use this as a flexible construction rule rather than a rigid diet:

- Make vegetables and other plant foods visually dominant across the day.
- Rotate colours and plant families instead of eating the same three vegetables repeatedly.
- Include a reliable protein source appropriate to you.
- Choose fibre-rich carbohydrates such as legumes, intact whole grains, root vegetables and fruit according to tolerance.
- Include nuts, seeds, extra virgin olive oil and other minimally processed sources of unsaturated fats.
- Use fermented foods where tolerated and appropriate, but do not treat them as medicine.
- Reduce the proportion of the diet supplied by highly processed foods rather than trying to make every meal perfect.

4. FIBRE: FEED MORE THAN YOURSELF

Fibre contributes to stool bulk and bowel regularity, and different fibres interact differently with the gut microbiome. Fruit, vegetables, legumes, nuts, seeds and whole grains provide fibre along with a wider package of nutrients and plant compounds. Some gut microbes ferment certain fibres and resistant starches, producing metabolites such as short-chain fatty acids.

If your current fibre intake is low, more is not automatically better overnight. Increase gradually and pair the change with adequate fluid. A sudden jump can produce bloating, gas or discomfort, particularly in people with sensitive gastrointestinal systems.

CulturX fibre rotation

Across a week, rotate rather than obsess: oats, barley, lentils, chickpeas, beans, chia, flax, berries, kiwifruit, apples, pears, leafy greens, cruciferous vegetables, carrots,

pumpkin, cooled potato or rice, nuts and seeds. Tolerance matters more than collecting every item on the list.

5. HYDRATION AND MINERALS

Hydration supports normal physiology and bowel function, but there is no need to turn water into a detox ritual. Drink regularly, respond to thirst, and increase fluid intake when heat, exercise or other circumstances increase losses. Food also contributes water and minerals. Fruit, vegetables, legumes, nuts, seeds and dairy or suitable alternatives can all contribute to mineral intake.

More water is not always better. Excessive fluid intake can be harmful, and people with heart or kidney conditions may have specific fluid requirements. Individual context wins over slogans.

6. FERMENTED FOODS

Fermentation is a food process, not a guarantee that a product contains clinically meaningful probiotics. Some yoghurts, kefir, kimchi, sauerkraut and other fermented foods contain live cultures, while heat treatment and processing can reduce or remove living microorganisms. Check labels when live cultures are the goal.

Fermented foods can be one part of a varied diet. They are not required for everyone, and individual tolerance matters. Some fermented vegetables can also be high in sodium. Kombucha is a fermented beverage, but composition varies substantially by product and production method, so it should not be presented as a universal probiotic treatment.

7. WHAT CAN DISTURB GUT BALANCE

Gut symptoms rarely have one universal cause. Dietary pattern, abrupt changes in fibre, alcohol, illness, stress, sleep, medications, food intolerances and underlying medical conditions can all matter. Antibiotics can alter gut microbial communities, but they are also important medicines when clinically indicated. Never stop or avoid prescribed medication in an attempt to 'protect the microbiome' without discussing it with the prescriber.

The CulturX principle is observation before assumption. Notice what changed, when it changed, what preceded it, and whether the pattern repeats.

8. THE 7-DAY CULTURX GUT BALANCE RESET

This is a reset in the behavioural sense: seven days of simplifying the inputs so you can pay attention to the outputs. It is not a detox, purge, fast or medical treatment. Portions should match your appetite, energy needs and clinical circumstances.

DAY 1: SIMPLIFY

Breakfast: oats with berries, chia and plain yoghurt or a suitable alternative.
Lunch: lentil and vegetable bowl with olive oil and herbs.
Dinner: protein of choice, roasted vegetables and a whole-grain or starchy vegetable.
Focus: water, regular meals and a baseline symptom note.

DAY 2: ADD COLOUR

Add at least three different colours of vegetables or fruit across the day. Keep meals familiar. Do not introduce five new supplements.

DAY 3: FEED THE MICROBES

Include legumes or another tolerated fibre-rich plant food, plus oats, barley or another whole grain. Increase gradually if you are not used to high fibre.

DAY 4: FERMENT, IF IT SUITS YOU

Add one modest serving of a fermented food containing live cultures if tolerated, such as yoghurt, kefir, kimchi or sauerkraut. Skip it if it aggravates symptoms.

DAY 5: DIVERSIFY

Choose plant foods you have not eaten earlier in the week. Diversity is the exercise. Perfection is not.

DAY 6: REMOVE THE NOISE

Keep alcohol low or absent, minimise highly processed snack foods, eat slowly enough to notice fullness, and observe whether symptoms change when the inputs become simpler.

DAY 7: READ THE DATA

Look back at the week. Which meals felt easy? What produced bloating or discomfort? What improved bowel regularity? What was sustainable? Keep the useful changes and discard the performance.

A SIMPLE SHOPPING LIST

Vegetables: leafy greens, carrots, broccoli or cauliflower, capsicum, zucchini, pumpkin, potatoes or sweet potato.

Fruit: berries, kiwifruit, apples, pears, citrus, bananas.

Fibre staples: oats, barley, brown rice or other whole grains, lentils, chickpeas, beans.

Fats and extras: extra virgin olive oil, nuts, seeds, chia, flax.

Fermented options: plain yoghurt, kefir, kimchi, sauerkraut with live cultures where available.

Protein: choose according to your dietary pattern and individual needs.

9. READ THE FEEDBACK

Do not reduce gut health to a single number. Useful observations include bowel frequency and consistency, bloating, pain, reflux, appetite, meal tolerance, energy and whether symptoms repeatedly follow particular foods or behaviours. A short record can reveal patterns that memory misses.

Symptoms are information, but they are not self-diagnosis. Persistent or concerning patterns deserve appropriate medical investigation.

10. CULTURX QUICK REFERENCE

- Eat more plants, but increase fibre gradually if your intake is currently low.
- Prioritise variety over dietary purity.
- Hydrate normally. Do not force excessive water.
- Use fermented foods as foods, not miracle treatments.
- Do not chase blood pH with food or alkaline water.
- Observe repeated patterns rather than reacting to one meal.
- Keep medications in their proper clinical jurisdiction.
- Investigate persistent or red-flag symptoms.
- Build a routine you can repeat after the seven days are over.

11. CLOSING

The gut does not need a war. It needs an environment. You do not have to cleanse it into submission, sterilise it, alkalise your blood, or buy your way into biological perfection. You can start much closer to home: feed the system, vary the inputs, support the conditions, watch the feedback, and investigate when the signal persists.

KNOWLEDGE IS A FORM OF RECOVERY.

CULTURX

12. REFERENCES

Abbastabar M, et al. Dietary Acid Load and Human Health: A Systematic Review and Meta-analysis of Observational Studies. Nutrition Reviews. 2025;83(9):1641-1656.

Wieërs MLAJ, et al. Dietary acid load in health and disease. Pflügers Archiv - European Journal of Physiology. 2024.

Schwalfenberg GK. The alkaline diet: is there evidence that an alkaline pH diet benefits health? Journal of Environmental and Public Health. 2012.

Solan M. How and why to fit more fiber and fermented food into your meals. Harvard Health Publishing. 2024.

Harvard Health Publishing. Fermented foods: Should they be part of your diet? Updated September 2026.

Harvard Health Publishing. How a healthy gut helps your heart. 2023.

13. GLOSSARY

Acid-base balance: The physiological regulation of acids and bases in body fluids.

Dietary acid load: An estimate of the acid and base precursors generated from the diet, often studied using measures such as PRAL or NEAP.

Fermentation: A process in which microorganisms transform components of food, often sugars, producing acids, gases or alcohols.

Fibre: Plant-derived carbohydrate components that are not fully digested in the small intestine.

Gut microbiome: The community of microorganisms and their genetic material associated with the gastrointestinal tract.

Prebiotic: A substrate selectively used by host microorganisms that can confer a health benefit; not every fibre automatically meets this definition.

Probiotic: Live microorganisms that, when administered in adequate amounts, confer a health benefit on the host.

PRAL: Potential renal acid load, an estimate used in research to describe the acid or base load associated with a diet.

Resistant starch: Starch that resists digestion in the small intestine and can be fermented by microbes in the large intestine.

Short-chain fatty acids: Small fatty acids produced in part when gut microbes ferment certain dietary substrates.

© 2026 CulturX. Educational material only. Not medical advice.